PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

In the Application of: Vogel et al.

CASE NO: AD6728 US NA

APR 0 3 2007

APPLICATION NO.: 09/833,452

GROUP ART UNIT: 1773

FILED: 04/12/2001

EXAMINER: Jackson, Monique R

FOR: Multi-Layered, Co-Extruded Ionomeric Decorative Surfacing

RULE 131 DECLARATION

Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Sir:

I, Lori J. Pike, declare that:

I am a citizen of the United States of America residing in Newark, Delaware;

I am a co-inventor of the above-identified application for US patent and have read the Office Action mailed 01/10/2007;

I have been employed by E. I. du Pont de Nemours & Company (DuPont) since June 1981 as an engineer working in various areas of plant support, process engineering, and technical service and development of ethylene copolymers including polymers for film and sheet since 1985;

I made several runs of coextruded two layer films comprising ionomer Surlyn[®] film as top layer and another ionomer Surlyn[®] film as second layer well before December 15, 1998;

I had reduced my invention, before December 15, 1998, as described and claimed in the subject application in this country, evidenced by the following exhibits:

Exhibit A, attached hereto, is a photocopy of work request 710802 by me (L. Pike) and operated by Bruce Dennison and Earl Herriman as operators; two runs are shown on this Exhibit A (Sample number E203-56-51 and E203-56-2); the equipment employed was a coextruder located at DuPont's Chestnut Run facility in Wilmington, Delaware; the resins shown on the farthest left column of the request represents were Surlyn® 1706 (zinc ionomer) and Surlyn® 7930 (lithium ionomer), both were manufactured and sold by DuPont at that time; Exhibit A also shows that an additive CONPOL 5B10S1 was present in one of the

Application/Control Number: 09/833,452 Art Unit: 1712

Page 2

ionomer layers; CONPOL was used as antiblock and slip agent additive with different concentrations (0.05 wt % and 0.01 wt %) in the two runs;

Several other two layer films were also made similarly; for example, Exhibit B (work request 150405) shows four (4) two-layer runs (sample numbers E229-41-1, E229-41-2, E229-41-3, E229-41-4); each of runs E229-41-1 and E229-41-2 comprised Surlyn® 1601 film as top layer and another Surlyn® NWL film as second layer; each of run E229-41-3 and E229-41-4 comprised Surlyn® HT 2010 film as top layer and another Surlyn® NWL film as second layer; Surlyn® 1601 and Surlyn® NWL were each a sodium ionomer; Surlyn® HT 2010 was a high transparency sodium ionomer grade.

Exhibit C includes 6 runs (E203-31-1 to E203-31-6) of Surlyn®/Surlyn® 2-layer structures. I measured the thickness of each Surlyn® layer, one of the runs, sample number E203-31-5, had thickness of 6 mils for one layer and 2 mils for another layer. The total thickness of 8 mils is within the range recited in the above-identified claims (see, e.g., claim 1).

As shown in the attachment to this declaration, DuPont technical literature shows that of these two layers structures, the Surlyn® NWL has a gloss of 82 at 200 angle and Surlyn® 1601 has a gloss of 75. Such gloss values are as recited in applicants' claims (69-71).

Not shown are more ionomer/ionomer two-layer runs carried out by me, but the above-illustrated two exhibits unequivocally demonstrate that I conceived and reduced to practice the invention claimed in the above-identified application before the filing date of the parent application of the Smith reference relied on by the examiner; and

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

EXHIBIT A

ı															IV.	VV	V J		٠.	1)			
	ہم [등	+	Vž		11	34.5	V	11				}		1								
0	IJ	danlor	P.	2822	065		7	3		200						-		-	-				-
	ત્રે			2	cl						-		 	-							 		
7	یے	2	¥				1			7	-						••					-	-
29.2	ESTE						17				_		 			-							_
6		5	ङु∥	~																			
B.W	G	2		2) (S																			
SCR	DIE			0	46		47			ρ r						. ! !							
			п	┍╌┞╼┉┪			╼╄╄╼				-												
		[63]				_	" ,	-		-			_						1	-			
	FVIS	2	- 31 - 1	7			12							_	1	_			_				
	- 1	TEMP.	C	32			433													ļ		ļ	
	12	DIE OF	100	3	433		435		424	3													
	X	dentar		3			<u></u>								_	-					1		· · · · ·
	TE CE			}			1						-	-+		_	- -	-	-		+	-	
	~			1 1			1, "			 -			1	+			-	-	-	+	_ <u> </u> _ 	_	
W	ER.		7		$\overline{\mathbf{n}}$		44		- 1				-		_	_	_	+				_	
173	TRUD		217		17		433		2											, , ,		Ī	
70	X	CENTE	1	2	435		草		435						1								
			{	1			7		1.	. 1												_	
	天田		11			_	1		1.	3		-		1	\dagger	+	-	-	+	+	-	+	
70	L. P	<u> </u>	-,	-1 1			. F		15%) 				-	-		-		+	+			
$-$ 0 $\frac{1}{2}$, 2	AMPLE JABER	7-7-				1 / 1																
7	고	<i>ॐ</i> ₹	Y				E 20												.				
ע ע	أأسد		b	5	179													-					_
No.	VEER COLT	UMBE	6416	3	12																		
IEST 1	ENGD		30	ह्र द	30.			_ <u>_</u>				-					-					_	<u></u>
REOL		in in	<i>5.</i> 6	1 S & S X	200	-	305	1995	130			}											
	PERA	17.	行でか	1500	1867	i i		79	教		}							ra and property					•
	O	1	الحا	स्य	M	Į i	5 l	ļ	1.L	j [ŀ	1		I	1	Į	l	ł	1	İ	ł	ţ	
	1802 BATE 7 503.27	REDURST NO. 7 10 802 TORMEN DENNISON L. PIKE EXTRIBER 2 1/2" UELEX / 1/2" DAVIS DIR GLONCESTER 2-LAYER	K REQUEST NO. 7 O BOZ DENTOSCAL DIB GLOCCESTER CAPER DIB GLOCCESTER CONTENTOS NOW BERN PRONT FRONT FRON	TENGINEER HERRIMAN L. PIKE EXTRIDER 2 1/2 WELEX 1/2" DAVIS DIE GLOGGESTER ZICATER OATA NUMBER NUMBER REAR CENTER FRONT FRONT HEAD Adapts NECK Bottom DENTER TOP (1970) FRONT FRONT HEAD Adapts NECK Bottom DENTER TOP (1970) FRONT FRONT HEAD Adapts NECK BOTTOM FRONT FRONT FRONT HEAD Adapts NECK BOTTOM FRONT FRONT FRONT FRONT FRONT HEAD Adapts NECK BOTTOM FRONT	K REQUEST NO. 7 O BOZ DATE LATOR/ENGINER H ERRIPALA) L. PIKE ESIN DATE LATOR/ENGINER H ERRIPALA LOT NUMBER NUMBER NUMBER REAPHEL TEMP. ** (SET/READ) NECK Bottom DEN'TER TOP Head Aduator NECK Bottom DEN'TER TOP Head STREAD LOT NUMBER N	R. REOURST NO. 10802 DATB EXTRUDER 2 12 11 15 2 0	COURST NO. O BO 2 DATB	COURST NO. O BO2	Course C	DATE DATE DATE SUREN P.	Course No. 10 802 Date Extrumber 2 1/2" Ure.ex 1/2" Davis Die Groups Grand Grand Die Groups Grand Grand	Course No. Course No. C	County No. 10 B.0.2 Date Extrumer 2 1/2 Ube.ex 1/3 Davis Die Gelougestron 2 - Caver Decougestron 2 - Caver	Coursey No.	Course C	Ourst No. 10802 Days D	COUNST NO. O BO 2	Courset No. Course No. Course No. Course No. Course No. Course No.	DATE DECEMBED DATE DAT	OURST NO.	Course No. Co Book	OUBST NO.	Ourset No. 10 8-02 Date Extrample 2 1/2 Update 1/2 Update

EXHIBIT B

	•							-				•					
WOKE KENDERS	NO.	50405			DATE								SCREW	6	797-	47	
OPERATOR/ENGINEER		ENNISON / PIKE	u)		RXT	LUDER	55	32 WELEX,	1/2	. 1	1	YWQ	HIG	9	113		
RESIN	DATA	1 07 2		BARIAEL,	. TEMP.	F (SET/F	EAD)			TEMP.	F (BET/READ)	12		≤	SCRE	W Bunk	
- 11	RUMBER	NUMBEH	REAR	747	ENTER	ENTER FRONT FRONT	FHONT HEAD	AD AMEDION	or NECK				MELY FIME OF HE	HEIGHT ANGLE	SPEED -		Astablor
Sulleyn Icol	, vider	E339-41-1	350	375	390 4	7 001	00/2 00/2 00/2		100		(२०५		y		ž		a-
ארוא האומיל	Sec. 2		350	375	380 4		465 465	0,400				F	410		3	7	125.
										-	-		_) 1) }
S.PLW 1601	1 Jelek	E 229-41-2		、	39.2	7, 2007	400 400	0 400	COLL	C2)	3	55	12,2		\ <u>\</u>	770	7
16.31 I	7327		350	3,4		— r	7			<u> </u>			410		25	9.5	36.
Superva Riverio	1.00	E339-41-3	7			7 257	400 400	2017 0	27/1/2	3	con h	455	430		38	R	37.26.
John Kray	Dodo		350	335/ 13	390 4	507 CM	CO 1- CO	—-i				r	=======================================		70}	2.5) (3
					•											51	2
Survey	L. Jedek	E339.41-4	350	37	390 4	34 CDF	400 400	57-5	3	ng J	24-7	3	145	-	3	رَ	1,5
Survey Aust	Derock				•••••				F			-		<u> </u>	3	: -	֝׆֖ ก
-			1				 10									-	
		E-229-41-5													-	<u> </u> 	
(3.7)					_									-		<u> </u> 	
2533										 		 		-	-		
W	فعاهد واجهان مستام والمفود والخو				-										 		
							1										
					1				_								
						_									<u> </u>	ļ 	
24XTS								-									
									_						} } 		
												··		MTER	 		
······································			i														

APR. 3.2007	₹. B. ↑	28 PM	NAP PRESSURE TENSION	P-4 7-7	Prom To 32"	0.4 77 W.>	10 78000000	29 ENEWE TO 23' 2	12 20" 2-3		6883	P. 15	
		SCHEENS	THICK LAY-	4.0	3.0 348" 16"	2,0 34/2 16" 1.0 min \$ 500	3.0 25% 16" 1.0 TRIME SEE	6.0 2544 16" 2,0 TRW & SE	5.0 2514" 30".		OPERATOR:	WIT'NESS:	
			Chilled TAKE AITTerap OFF + Am. FTAnin BATIO	19.5	W. 25 26/ 1.8%	201951.87	32 1.24	34 145 2.05	84, 25 1.78				
	N FILM		AMPS WFRIT Adaptor	77.5 3600 27.5 3160	70 3200	28 2966	825 28 2330	76 26sp	63 59 2600 3 5 (9)		,	•	
	1D BLOWN		TOWER SCHEW		48	322		25 68					
EXHIBIT C	DATA RECORD		(SET/MEAD)	21 1	395	394	410 450 455 382	32% 01% 02%	310 350 353				
EXE .	EXTRUSION D	7.11	DIE TEMP.	396 396 390			05% 05% 01	65 65h 65h	350 350 350 350				
•	(E)		EAD)	390 390 390			450 450 450 390 390	450 450 450	350 350 350 350 350				
		DAYER	CARREL TEMP. 15 (SET/P	360 380 390 390 390 3°50 3°50 3°50 3°50 3°50 3°50 3°50 3°5	-	-	350 380 390	524 754 804 524 804	300 325 350 300 325 360				
		II.	الا الا	-31-1 340 -325	203-31-2	13-31-3	5203-31.4 350 4	4 218 3.18-Eacs	£203-31.6 275 3				
		7			<u>οζο 3/6</u> <u>Ελο</u>	2023	104/7/41 520	220 8/EC1300					
		K REDUEST	ATOR/ENGINEERS	YPE 100 100 100 100 100 100 100 100 100 10	2 /0	4:12	5	9	22 5		iŞ;	•	

Product Information

For Blown and Cast Film

Description

SURLYN® 1601 is an ionomer resin available for use in conventional blown and cast film extrusion and coextrusion equipment designed to process polyethylene resins.

Features/Benefits vs. SURLYN 1601-2

• Lower gel levels for better package appearance and better product visibility

Typical Applications

- · Meat, poultry, seafood, and cheese packaging
- Cereal liners
- Medical/pharmaceutical packaging
- Powdered/granular food and nonfood pouches
 - TABLE 1
 Properties of SURLYN® 1601

Resin Property	Typical Value	Test Method
Melt Flow Index dg/min	1.3	ASTM D1238 Cond. 190°C/2.16 kg
Melt Point, °C (°F)	98 (208)	ASTM D3418 (DSC)
Freeze Point, °C (°F)	68 (154)	ASTM D3418 (DSC)
Vicat Softening Point °C (°F)	74 (165)	ASTM D1525
ion Type	Sodlum	
Density, g/cc	0.94	ASTM D792

- Carded display/skin packaging films
- Edible oil, motor oil, and other liquid product pouches
- Snack structures
- Coextrusions with nylon or in other film structures as a heat seal

Note: Typically clear films of this SURLYN and other sodium SURLYN resins can whiten in contact with water, steam, or some aqueous solutions. Scaling and other film properties are not affected, however. Films of zinc SURLYN resins do not whiten as the sodium SURLYN resins do.

TABLE 2 Properties of SURLYN® 1601

Film Property (2 mil Blown, 3:1 BUR)	Typical Value	Test Method
Ultimate Tensile Strength MD, MPa (psi) TD, MPa (psi)	33.8 (4900) 40.7 (5900)	ASTM D882
Ultimate Elongation MD/TD, %	350/400	ASTM D882
Secant Modulus MD, MPa (psi) TD, MPa (psl)	241 (35,000) 262 (38,000)	ASTM D882
Spencer Impact Strength J/mm (in-lb/mil)	31 (7.0)	ASTM D3420
Dart Drop Strength g/µm (g/mil)	11.8 (300)	ASTM D1709 Method 8
Elmendorf Tear Strength MD, mN/μm (g/mil) TD, mN/μm (g/mil)	6.9 (18) 7.3 (19)	ASTM D1922
Gloss, 20°	75	ASTM D2457
% Haze	3.0	ASTM D1003

Start with DuPont



SURLYN® NWL

Ionomer Resin

Product Information

For Blown and Cast Film

Description

SURLYN® NWL is an ionomer resin available for use in conventional blown and cast film extrusion and coextrusion equipment designed to process polyethylene resins. Film produced from this resin is especially suited for skin packaging.

Applications

Skin packaging of items with highly glossy surfaces can often result in entrapment of air bubbles between the product and the film. This mottled appearance is termed "wet look" because it resembles water droplets trapped between the film and the surface. SURLYN NWL (Non-Wet Look) is a resin that was specially developed to address this problem. Made into film, and skin packaged on standard skin packaging equipment, it eliminates the wet look on most products.

For optimum results, SURLYN NWL should be converted in a film coextrusion with SURLYN 1601. The SURLYN NWL layer would be skin packaged against the product and the SURLYN 1601 layer would be on the outside.

TABLE 1
Properties of SURLYN® NWL

Resin Property	Typical Value	Test Method
Melt Flow Index dg/min	1.3	ASTM D1238 Cond. 190°C/2.16 kg
Melt Point, °C (°F)	96 (205)	ASTM D3418 (DSC)
Freeze Point, °C (°F)	61 (142)	ASTM D3418 (DSC)
Vicat Softening Point °C (°F)	72 (162)	ASTM D1525
lon Type	Sodium	<u>·</u> .
Density, g/cm ³	0.94	ASTM D792

Processing Information

SURLYN NWL is normally processed at melt temperatures ranging from 205° to 227°C (400° to 440°F) in blown film equipment. A typical extruder temperature profile is shown in Table 3. Actual processing temperatures will usually be determined by either the specific equipment or one of the other polymers in a coextrusion. SURLYN NWL can also be used in cast extrusions and coextrusions.

Materials of construction used in the processing of this resin should be corrosion resistant. Stainless steels and/or duplex chrome or nickel plating are recommended for dies and adapters.

If surface properties of the extruded resin require modification (for example, lower coefficient of friction for packaging machine processing), refer to the CONPOL[™] Processing Additive Resins product information available from your nearest Du Pont Packaging Products sales office.

TABLE 2
Properties of SURLYN® NWL

Film Property (5 mils blown coex:4 mils SURLYN 1601, 1 mils SURLYN NWL)	Typical Value	Test Method
Ultimate Tensile Strength MD, MPa (psi) TD, MPa (psi)	26.9 (3,900) 26.5 (3,850)	ASTM D882
Ultimate Elongation MD/TD, %	450/475	ASTM D882
Secant Modulus MD, MPa (psi) TD, MPa (psi)	172 (25,000) 174 (22,200)	ASTM D882
Spencer Impact Strength J/mm (in-lb/mil)	1.3 (5.8)	ASTM D3420
Elmendorf Tear Strength MD, mN/μm (g/mil) TD, mN/μm (g/mil)	12.8 (33.1) 13.8 (35.9)	ASTM D1922
Gloss, 20° In (Out)	82 (55)	ASTM D2457
% Haze	7.3	ASTM D1003

Start with Du Pont

